



The Standards Institution of Israel

*License No. 71358
to mark a commodity
with the Standards Mark*

The Standards Institution of Israel in accordance with the powers vested in it by article 11(b) of the Standards law 1953, has licensed :

NAANDAN JAIN IRRIGATION LTD.

KIBBUTZ NAAN, KIBBUTZ DAN

To mark with the Standards Mark the following commodities:

**AGRICULTURAL IRRIGATION EQUIPMENT- EMITTERS AND
EMITTING PIPE- SPECIFICATION AND TEST METHODS**

LIST OF TYPES IN ANNEX A

*These commodities are produced in conformity with the requirements of the:
Israel Standard No. 1642
Edition May 2005*

This license is valid until 31/12/2018

14/ 11/ 2018

Tel Aviv

Ilan Carmit
Acting Director General





ANNEX A **71358**

Page No. 1

To: NAANDAN JAIN IRRIGATION LTD.

KIBBUTZ NAAN, KIBBUTZ DAN

Commodities: AGRICULTURAL IRRIGATION EQUIPMENT- EMITTERS AND
EMITTING PIPE- SPECIFICATION AND TEST METHODS

- Types:
- 1 . TIF DRIP, NOMINAL DIAMETER 16MM
NOMINAL FLOW RATE 1.0 L/H
 - 2 . TIF DRIP, NOMINAL DIAMETER 16MM
NOMINAL FLOW RATE 2.0 L/H
 - 3 . TIF DRIP, NOMINAL DIAMETER 16MM
NOMINAL FLOW RATE 3.6 L/H
 - 4 . NAANPC, NOMINAL DIAMETER 16MM,
NOMINAL FLOW RATE 1.6 L/H
 - 5 . NAANPC, NOMINAL DIAMETER 16MM,
NOMINAL FLOW RARE 2.2 L/H
 - 6 . NAANPC, NOMINAL DIAMETER 16MM,
NOMINAL FLOW RATE 3.5 L/H
 - 7 . NAANPC, NOMINAL DIAMETER 20MM, WALL THICKNESS 1.2
NOMINAL FLOW RATE 0.95 L/H
 - 8 . NAANPC, NOMINAL DIAMETER 20MM,
NOMINAL FLOW RATE 1.6 L/H
 - 9 . NAANPC, NOMINAL DIAMETER 20MM,
NOMINAL FLOW RATE 2.2 L/H
 - 10 . NAANPC, NOMINAL DIAMETER 20MM,
NOMINAL FLOW RATE 3.8 L/H
 - 11 . "AMNON DRIP" NOMINAL DIAMETER 16 MM.
NOMINAL FLOW RATE 1.1 L/H, WALL THICKNESS 1.15 MM.
NOMINAL FLOW RATE 1.6 L/H, WALL THICKNESS 1.15 MM.
NOMINAL FLOW RATE 2.2 L/H, WALL THICKNESS 1.15 MM.
NOMINAL FLOW RATE 3.8 L/H, WALL THICKNESS 1.15 MM.



This license is valid until 31/12/2018

14/11/2018

Tel Aviv

Ilan Carmit
Acting Director General



ANNEX A **71358**

Page No. 2

To: NAANDAN JAIN IRRIGATION LTD.

KIBBUTZ NAAN, KIBBUTZ DAN

Commodities: AGRICULTURAL IRRIGATION EQUIPMENT- EMITTERS AND
EMITTING PIPE- SPECIFICATION AND TEST METHODS

- Types:
12. "AMNON DRIP" NOMINAL DIAMETER 20 MM.
NOMINAL FLOW RATE 1.1 L/H, WALL THICKNESS 1.20 MM.
NOMINAL FLOW RATE 1.6 L/H, WALL THICKNESS 1.20 MM.
NOMINAL FLOW RATE 2.2 L/H, WALL THICKNESS 1.20 MM.
NOMINAL FLOW RATE 3.8 L/H, WALL THICKNESS 1.20 MM.
 13. "TOP DRIP HD" NOMINAL DIAMETER 20MM,
NOMINAL FLOW RATE 1.6 L/H
 14. "TOP DRIP HD" NOMINAL DIAMETER 20MM,
NOMINAL FLOW RATE 1.0 L/H
 15. "TOP DRIP HD" NOMINAL DIAMETER 20MM,
NOMINAL FLOW RATE 2.2 L/H
 16. "TOP DRIP " NOMINAL DIAMETER 16MM,
NOMINAL FLOW RATE 1.6 L/H
 17. "TOP DRIP " NOMINAL DIAMETER 16MM,
NOMINAL FLOW RATE 2.2 L/H



THE STANDARDS INSTITUTION OF ISRAEL

This license is valid until 31/12/2018

14/11/2018

Tel Aviv

Ilan Carmit
Acting Director General